2024 Consumer Confidence Report

Water System Information

Water System Name: YOSEMITE SPRING PARK UTILITY COMPANY INC.

Report Date: 4/14/25

Type of Water Source(s) in Use: GROUND WATER

Name and General Location of Source(s): WELLS 1E, 31A, 35A, 37A, 39A, 40A, 42A, 45A, 46A, 47A, 48 are all located within the boundaries of the subdivision.

Drinking Water Source Assessment Information: The wells are most vulnerable to the following activities not associated with any detected contaminants: Septic Systems – Low Density (<1/acre).

Time and Place of Regularly Scheduled Board Meetings for Public Participation: meetings are scheduled the Third Tuesday of every month at 5:30pm in the Yosemite Lakes Clubhouse at 30250 Yosemite Springs Parkway.

For More Information, Contact: General Manager Paul Stiglich (559)517-3799

About This Report

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2024, and may include earlier monitoring data.

Importance of This Report Statement in Five Non-English Languages (Spanish, Mandarin, Tagalog, Vietnamese, and Hmong)

Language in Spanish: Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse [YOSEMITE SPRING PARK UTILITY COMPANY INC.] a [(559)213-1441] para asistirlo en español.

Language in Mandarin: 这份报告含有关于您的饮用水的重要讯息。请用以下地址和电话联系 [YOSEMITE SPRING PARK UTILITY COMPANY INC.] 以获得中文的帮助: [(559)213-1441].

Language in Tagalog: Ang pag-uulat na ito ay naglalaman ng mahalagang impormasyon tungkol sa inyong inuming tubig. Mangyaring makipag-ugnayan sa [YOSEMITE SPRING PARK UTILITY COMPANY INC. and Address] o tumawag sa [(559)213-1441] para matulungan sa wikang Tagalog.

Language in Vietnamese: Báo cáo này chứa thông tin quan trọng về nước uống của bạn. Xin vui lòng liên hệ [YOSEMITE SPRING PARK UTILITY COMPANY INC.] tại [(559)213-1441] để được hỗ trợ giúp bằng tiếng Việt.

Language in Hmong: Tsab ntawv no muaj cov ntsiab lus tseem ceeb txog koj cov dej haus. Thov hu rau [YOSEMITE SPRING PARK UTILITY COMPANY INC.] ntawm [(559)213-1441] rau kev pab hauv lus Askiv.

Terms Used in This Report

Term	Definition
Level 1 Assessment	A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.
Level 2 Assessment	A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an <i>E. coli</i> MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.
Maximum Contaminant Level (MCL)	The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
Maximum Contaminant Level Goal (MCLG)	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).
Maximum Residual Disinfectant Level (MRDL)	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Maximum Residual Disinfectant Level Goal (MRDLG)	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
Primary Drinking Water Standards (PDWS)	MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
Public Health Goal (PHG)	The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
Regulatory Action Level (AL)	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.
Secondary Drinking Water Standards (SDWS)	MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.
Treatment Technique (TT)	A required process intended to reduce the level of a contaminant in drinking water.
Variances and Exemptions	Permissions from the State Water Resources Control Board (State Board) to exceed an MCL or not comply with a treatment technique under certain conditions.
ND	Not detectable at testing limit.
ppm	parts per million or milligrams per liter (mg/L)
ppb	parts per billion or micrograms per liter (µg/L)
ppt	parts per trillion or nanograms per liter (ng/L)
ppq	parts per quadrillion or picogram per liter (pg/L)
pCi/L	picocuries per liter (a measure of radiation)

Sources of Drinking Water and Contaminants that May Be Present in Source Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

Regulation of Drinking Water and Bottled Water Quality

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provides similar protection for public health.

About Your Drinking Water Quality

Drinking Water Contaminants Detected

Tables 1, 2, 3, 4, 5, 6, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Table 1. Sampling Results Showing the Detection of Coliform Bacteria

Complete if bacteria are detected.

Microbiological Contaminants	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria
E. coli	(In the year) 0	0	(a)	0	Human and animal fecal waste

⁽a) Routine and repeat samples are total coliform-positive and either is *E. coli*-positive or system fails to take repeat samples following *E. coli*-positive routine sample or system fails to analyze total coliform-positive repeat sample for *E. coli*.

Table 2. Sampling Results Showing the Detection of Lead and Copper

Complete if lead or copper is detected in the last sample set.

Lead and Copper	Sample Date	No. of Samples Collected	90 th Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	Typical Source of Contaminant
Lead (ppb)	9/13/22	21	0.0084	0	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	9/13/22	21	0.236	0	1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

Table 3. Sampling Results for Sodium and Hardness

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	10/2/24	25.5	22-30	None	None	Salt present in the water and is generally naturally occurring
Hardness (ppm)	10/2/24 10/15/24 10/24/24 12/17/24	142.9	89-250	None	None	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

A.			-	_		
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Aluminum (mg/L)	10/2/24 10/24/24 12/17/24	0.005	ND-0.06	1	0.6	Erosion of natural deposits; residue from some surface water treatment processes
Antimony (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	6	1	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Arsenic (μg/L)	10/2/24 10/24/24 12/17/24	2.1	ND-7.9	10	0.004	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Asbestos (MFL)	10/24/24	ND	N/A	7	7	Internal corrosion of asbestos cement water mains; erosion of natural deposits
Barium (mg/L)	10/2/24 10/24/24 12/17/24	ND	ND	1	2	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits
Beryllium (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	4	1	Discharge from metal refineries, coal-burning factories, and electrical, aerospace, and defense industries
Cadmium (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	5	0.04	Internal corrosion of galvanized pipes; erosion of natural deposits; discharge from electroplating and industrial chemical factories, and metal refineries; runoff from waste batteries and paints

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Table 4. Detection of		1				
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Copper (mg/L)	10/2/24 10/24/24 12/17/24	ND	ND	AL = 1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Chromium (hexavalent) (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	10	0.02	Erosion of natural deposits; transformation of naturally occurring trivalent chromium to hexavalent chromium by natural processes and human activities such as discharges from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities.
Cyanide (µg/L)	10/24/24	ND	N/A	150	150	Discharge from steel/metal, plastic and fertilizer factories
Fluoride (mg/L)	10/2/24 10/24/24 12/17/24	0.16	ND-0.29	2.0	1	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories
Mercury [Inorganic] (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	2	1.2	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills and cropland

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG)	Typical Source of
(and					[MRDLG]	Contaminant
reporting units)						
Nickel (µg/L)	10/2/24	ND	ND	100	12	Erosion of natural
	10/24/24					deposits; discharge from
	12/17/24					metal factories
Nitrate (mg/L)	10/2/24	0.021	ND-0.27	10	10 (55 NI)	Runoff and
	10/15/24			(as N)	(as N)	leaching from fertilizer use;
	10/24/24					leaching from
	12/4/24					septic tanks and sewage; erosion of
	12/17/24					natural deposits
Nitrite (mg/L)	10/2/24	ND	ND	1 (as N)	1 (as N)	Runoff and
	10/24/24					leaching from fertilizer use;
	12/17/24					leaching from
						septic tanks and sewage; erosion of
						natural deposits
Perchlorate (µg/L)	10/15/24	ND	N/A	6	1	Perchlorate is an inorganic chemical
						used in solid rocket
						propellant, fireworks,
						explosives, flares,
						matches, and a variety of
						industries. It
						usually gets into drinking water as a
						result of
						environmental contamination from
						historic aerospace or other industrial
						operations that
						used or use, store,
						or dispose of perchlorate and its
						salts.

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Selenium (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	50	30	Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive)
Thallium (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	2	0.1	Leaching from ore- processing sites; discharge from electronics, glass, and drug factories
2,4-D (μg/L)	10/24/24	ND	ND	70	20	Runoff from herbicide used on row crops, range land, lawns, and aquatic weeds
2,4,5-TP [Silvex] (μg/L)	10/24/24	ND	ND	50	3	Residue of banned herbicide
Alachlor (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	2	4	Runoff from herbicide used on row crops
Atrazine (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	1	0.15	Runoff from herbicide used on row crops and along railroad and highway right-of- ways
Benzo(a)pyrene [PAH] (µg/L)	10/24/24	ND	ND	.0002	.007	Leaching from linings of water storage tanks and distribution mains

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Chlordane (µg/L)	10/24/24	ND	ND	.0001	.030	Residue of banned insecticide
Dalapon (µg/L)	10/24/24	ND	ND	200	790	Runoff from herbicide used on rights-of-way, and crops and landscape maintenance
Di(2-ethylhexyl) Adipate (μg/L)	10/24/24	ND	ND	400	200	Discharge from chemical factories
Di(2-ethylhexyl) Phthalate (μg/L)	10/24/24	ND	ND	4	12	Discharge from rubber and chemical factories; inert ingredient in pesticides
Dibromochloropropane [DBCP] (μg/L)	10/24/24 12/7/24	ND	ND	.0002	.003	Banned nematocide that may still be present in soils due to runoff/leaching from former use on soybeans, cotton, vineyards, tomatoes, and tree fruit
Dinoseb (μg/L)	10/24/24	ND	ND	7	14	Runoff from herbicide used on soybeans,
Diquat (μg/L)	10/24/24	ND	ND	20	6	Runoff from herbicide use for terrestrial and aquatic weeds
Ethylene Dibromide [EDB] (µg/L)	10/24/24 12/7/24	ND	ND	.050	.010	Discharge from petroleum refineries; underground gas tank leaks; banned nematocide that may still be present in soils due to runoff and leaching from grain and fruit crops

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Endothall (µg/L)	10/24/24	ND	ND	100	94	Runoff from herbicide use for terrestrial and aquatic weeds; defoliant
Endrin (µg/L)	10/24/24	ND	ND	2	0.3	Residue of banned insecticide and rodenticide
Heptachlor (μg/L)	10/24/24	ND	ND	.010	.008	Residue of banned insecticide
Heptachlor Epoxide (µg/L)	10/24/24	ND	ND	.010	.006	Breakdown of heptachlor
Hexachlorobenzene (µg/L)	10/24/24	ND	ND	1	0.03	Discharge from metal refineries and agricultural chemical factories; byproduct of chlorination reactions in wastewater
Hexachlorocyclo- pentadiene (µg/L)	10/24/24	ND	ND	50	2	Discharge from chemical factories
Methoxychlor (µg/L)	10/24/24	ND	ND	30	0.09	Runoff/leaching from insecticide used on fruits, vegetables, alfalfa, and livestock
Molinate [Ordram] (µg/L)	10/24/24	ND	ND	20	1	Runoff/leaching from herbicide used on rice
Oxamyl [Vydate] (μg/L)	10/24/24	ND	ND	50	26	Runoff/leaching from insecticide used on field crops, fruits and ornamentals, especially apples, potatoes, and tomatoes
PCBs [Polychlorinated Biphenyls] (µg/L)	10/24/24	ND	ND	.50	.090	Runoff from landfills; discharge of waste chemicals

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Pentachlorophenol (μg/L)	10/24/24	ND	ND	1	0.3	Discharge from wood preserving factories, cotton and other insecticidal/herbici dal uses
Picloram (μg/L)	10/24/24	ND	ND	500	166	Herbicide runoff
Simazine (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	4	4	Herbicide runoff
Thiobencarb (μg/L)	10/24/24	ND	ND	70	42	Runoff/leaching from herbicide used on rice
Toxaphene (μg/L)	10/24/24	ND	ND	3	0.03	Runoff/leaching from insecticide used on cotton and cattle
1,2,3-Trichloropropane [TCP] (µg/L)	10/24/24 12/17/24	ND	ND	.005	.0007	Discharge from industrial and agricultural chemical factories; leaching from hazardous waste sites; used as cleaning and maintenance solvent paint and varnish remover, and cleaning and degreasing agent; byproduct during the production of other compounds and pesticides.
Benzene (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	1	0.15	Discharge from plastics, dyes and nylon factories; leaching from gas storage tanks and landfills
Carbon Tetrachloride (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	.50	.10	Discharge from chemical plants and other industrial activities

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
1,1-Dichloroethane (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	5	3	Extraction and degreasing solvent; used in manufacture of pharmaceuticals, stone, clay and
1,2-Dichloroethane (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	.50	.40	Discharge from industrial chemical factories
1,1-Dichloroethylene (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	6	10	Discharge from industrial chemical factories
cis-1,2- Dichloroethylene (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	6	13	Discharge from industrial chemical factories; major biodegradation byproduct of TCE and PCE groundwater contamination
trans-1,2- Dichloroethylene (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	10	50	Discharge from industrial chemical factories; minor biodegradation byproduct of TCE and PCE groundwater contamination
Dichloromethane (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	5	4	Discharge from pharmaceutical and chemical factories; insecticide
1,2-Dichloropropane (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	5	0.5	Discharge from industrial chemical factories; primary component of some fumigants
1,3-Dichloropropene (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	.50	.20	Runoff/leaching from nematocide used on croplands

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Ethylbenzene (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	300	300	Discharge from petroleum refineries; industrial chemical factories
Methyl-tert-butyl ether (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	13	13	Leaking underground storage tanks; discharge from petroleum and chemical factories
Styrene (µg/L)	10/2/24 10/24/24	ND	ND	100	0.5	Discharge from rubber and plastic Factories; leaching from landfills
1,1,2,2- Tetrachloroethane (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	1	0.1	Discharge from industrial and agricultural chemical factories; solvent used in production of TCE, pesticides, varnish and lacquers
Tetrachloroethylene (PCE) (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	5	0.06	Discharge from factories, dry cleaners, and auto shops (metal degreaser)
1,2,4-Trichlorobenzene (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	5	5	Discharge from textile-finishing factories
1,1,1-Trichloroethane (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	200	1000	Discharge from metal degreasing sites and other factories; manufacture of food wrappings
1,1,2-Trichloroethane (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	5	0.3	Discharge from industrial chemical factories

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Trichloroethylene [TCE] (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	5	1.7	Discharge from metal degreasing sites and other factories
Toluene (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	150	150	Discharge from petroleum and chemical factories; underground gas tank leaks
Trichlorofluoromethane (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	150	1300	Discharge from industrial factories; degreasing solvent; propellant and refrigerant
1,1,2-Trichloro-1,2,2- trifluoroethane (µg/L)	10/2/24 10/24/24 12/17/24	ND	ND	1200	4000	Discharge from metal degreasing sites and other factories; dry- cleaning solvent; refrigerant
Vinyl Chloride (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	.50	.050	Leaching from PVC piping; discharge from plastics factories; biodegradation byproduct of TCE And PCE groundwater contamination
Xylenes (μg/L)	10/2/24 10/24/24 12/17/24	ND	ND	1750	1800	Discharge from petroleum and chemical factories; fuel solvent
Gross Alpha Particle Activity (pCi/L)	10/15/24 10/24/24	12.585	1.67-23.5	15	(0)	Erosion of natural deposits
Uranium (pCi/L)	10/18/24	10	2.9-17	20	0.43	Erosion of natural deposits
TTHMs [Total Trihalomethanes] (µg/L)	9/30/24 10/15/24	33.5	31-36	80	N/A	Byproduct of drinking water disinfection

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contamina nt
HAA5 [Sum of 5 Haloacetic Acids] (µg/L)	9/30/24 10/15/24	14	14	60	N/A	Byproduct of drinking water disinfection
Radium-226 (pCi/L)	10/24/24	0.33	N/A	N/A	.05	Erosion of natural deposits
Radium-228 (pCi/L)	10/24/24	ND	N/A	N/A	.019	Erosion of natural deposits

a) If reporting results for Radium-226 and Radium-228 as individual constituents, the PHG is 0.05 pCi/L for Radium- 226, and b) 0.019 pCi/L for Radium-228.

Table 5. Detection of Contaminants with a Secondary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	SMCL	Typical Source of Contaminant
Aluminum mg/L	10/2/24 10/24/24 12/17/24	0.005	ND-0.06	0.2 mg/L	Erosion of natural deposits; residual from some surface water treatment processes
Color (color units)	10/2/24 10/24/24 12/17/24	8.75	5-10	15 Units	Naturally-occurring organic materials
Copper mg/L	10/2/24 10/24/24 12/17/24	ND	ND	1.0 mg/L	Naturally-occurring organic materials
Foaming Agents [MBAS] mg/L	10/2/24 10/24/24 12/17/24	ND	ND	0.5 mg/L	Municipal and industrial waste discharges
Iron mg/L	10/2/24 10/24/24 12/17/24	1.395	0.19-2.2	0.3 mg/L	Leaching from natural deposits; industrial wastes
Manganese mg/L	10/2/24 10/24/24 12/17/24	0.1225	ND-0.23	0.05 mg/L	Leaching from natural deposits
Methyl- <i>tert</i> -butyl ether [MTBE] mg/L	10/2/24 10/15/24 10/24/24 12/17/24	ND	ND	0.005 mg/L	Leaking underground storage tanks; discharge from petroleum and chemical factories
OdorThreshold (odor units)	10/2/24 10/15/24 10/24/24 12/17/24	ND	ND	3 Units	Naturally-occurring organic materials
Silver mg/L	10/2/24 10/15/24 10/24/24 12/17/24	ND	ND	0.1 mg/L	Industrial discharges
Thiobencarb mg/L	10/2/24 10/15/24 10/24/24 12/17/24	ND	ND	0.001 mg/L	Runoff/leaching from rice herbicide
Turbidity (NTUs)	10/2/24 10/15/24 10/24/24 12/17/24	1.51	0.84-2.4	5 Units	Soil runoff

Table 5. Detection of Contaminants with a Secondary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	SMCL	Typical Source of Contaminant
Zinc mg/L	10/2/24	ND	ND	5.0 mg/L	Runoff/leaching from natural deposits;
	10/15/24			mg/L	industrial wastes
	10/24/24				
	12/17/24				
Total Dissolved	10/2/24	322.5	270-350	1,000	Runoff/leaching from
Solids [TDS] mg/L	10/15/24			mg/L	natural deposits
IIIg/∟	10/24/24				
	12/17/24				
Specific	10/2/24	450	300-670	1,600	Substances that form
Conductance (μS/cm)	10/15/24			μS/cm	ions when in water;
	10/24/24				seawater influence
	12/17/24				
Chloride mg/L	10/2/24	12	ND-23	500	Runoff/leaching from
	10/15/24			mg/L	natural deposits;
	10/24/24				seawater influence
	12/17/24				
Sulfate mg/L	10/2/24	63	13-110	500	Runoff/leaching from
	10/15/24			mg/L	natural deposits; industrial wastes
	10/24/24				industrial wastes
	12/17/24				

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [YOSEMITE SPRING PARK UTILITY COMPANY INC.] is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. [Optional: If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.] If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/lead.

Secondary Contaminants sMCL Violation

Iron MCL Violation: Iron was found at levels that exceed the secondary MCL of 300 μ g/L. The iron MCL was set to protect you against unpleasant aesthetic effects (e.g., color, taste, and odor) and the staining of plumbing fixtures (e.g., tubs and sinks) and clothing while washing. The high iron levels are due to leaching of natural deposits.

Manganese MCL Violation: Manganese exposures resulted in neurological effects. High levels of manganese in people have been shown to result in adverse effects to the nervous system.